

## Section Eleven

# References

## 11. References

- Anthropos (2006). The Report on an Aboriginal Ethnographic Survey of the Kintyre Project area, East Pilbara Region, Western Australia dated November 2006.
- Aplin, K.P. (1998). Three new blindsnakes (Squamata, Typhlopidae) from northwestern Australia. Records of the Western Australian Museum, 19.
- Arup, Pty Ltd, and ENSR, Australia Pty Ltd. (2009). Olympic Dam Expansion Draft Environmental Impact Statement 2009.
- Australia ICOMOS (International Council on Monuments and Sites) Inc. (2000). The Burra Charter: the Australia ICOMOS Charter for Places of Cultural Significance 1999.
- Australian Bureau of Statistics (ABS) (2007a). 2006 Census Community Profile Series. East Pilbara (S) (LGA 53220). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007b). 2006 Census Community Profile Series. Pilbara (SD 540). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007c). 2006 Census Community Profile Series. Western Australia (STE 5). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007d). 2006 Census Community Profile Series. Newman (UCL 520800). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007e). 2006 Census Community Profile Series. Marble Bar (L) (UCL 517200.) Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007f). 2006 Census Community Profile Series. Nullagine (SSC 55126). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- ABS (2007g). 2006 Census Community Profile Series. Jigalong (L) (UCL 511900). Catalogue No. 2001.0. Available from: <http://www.censusdata.abs.gov.au/>
- Australian and New Zealand Environment and Conservation Council (ANZECC) and Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ) (2000). Australian Water Quality Guidelines for Fresh and Marine Waters, National Water Quality Management Strategy, Australian and New Zealand Environment and Conservation Council, Canberra.
- Australian National Committee on Large Dams (ANCOLD) (2012) Guidelines on Tailings Dam Design Construction, Operation and Closure.
- Australian Nuclear Science & Technology Organisation (ANSTO) (2011). Health Physics Report on Radiological Risk Assessment for Transportation of UOC for Cameco Australia, 21 October 2011. Report by Robert Blackley, Radiation Consultancy & Training Services, ANSTO.
- Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (1992). Code of Practice for the near-surface disposal of radioactive waste in Australia. Radiation Health Series RHS No. 35, 1992.
- ARPANSA (2005a). Radiation Protection and Radioactive Waste Management in Mining and Mineral Processing. Canberra.
- ARPANSA (2005b). Scientific Basis for the Near Surface Disposal of Bulk Radioactive Waste. Technical Report TRN 141.
- ARPANSA (2008). Code of Practice: Safe Transport of Radioactive Material 2008 Edition.
- Australian Water Resources Council (AWRC) (1975). Review of Australia's Water Resources 1975, Map 5, Australian Water Resources Council, Commonwealth of Australia, Canberra.
- Bamford Consulting Ecologists (2007). Kintyre Project area. Fauna observations from site visit October 2007. Unpublished report for Canning Resources.
- Bamford Consulting Ecologists (2011). Targeted fauna survey for the proposed Kintyre haul road. Report prepared by Bamford Consulting Ecologists. August 2011.
- Bamford, M., Turpin, J. and Browne-Cooper, R. (2012). Kintyre Project area Review of Fauna. Report prepared for Cameco, January 2012.

- Beard, J.S. (1975). Vegetation Survey of Western Australia – Pilbara 1:1,000,000 Vegetation Series. University of Western Australia Press
- Beard, J.S. (1990). Plant Life of Western Australia. Kangaroo Press, Kenthurst, NSW
- Bennelongia (2009). Yilgarn Iron Ore Project: Carina Deposit, Subterranean Fauna Assessment. Report 2009/69. Bennelongia Pty Ltd, Jolimont, pp. 24.
- Bennelongia (2012a). Aquatic Invertebrate Assemblages in Wetlands at Kintyre. Report prepared for Cameco Australia Pty Ltd. Report 2012/154, April 2012.
- Bennelongia (2012b). Subterranean Fauna Assessment of the Kintyre Uranium Deposit. Report prepared for Cameco Australia Pty Ltd. Report 2012/147, June 2012.
- Bennelongia (2012c). Field survey and site assessment of mosquitoes at Kintyre Camp in June and December 2011. Report prepared for Cameco Australia Pty Ltd.
- Bennett Environmental Consulting Pty Ltd (2007). Flora and Vegetation Kintyre Lease. Unpublished report for Canning Resources.
- Bennett Environmental Consulting Pty Ltd (2010). Flora and Vegetation Kintyre Lease. Report prepared for Cameco Australia Pty Ltd, July 2010.
- Bennett Environmental Consulting Pty Ltd (2011a). Flora and Vegetation of Access Road, Marble Bar – Telfer Road to Kintyre, November 2011.
- Bennett Environmental Consulting Pty Ltd (2011b). Flora and Vegetation Kintyre Lease. Report prepared for Cameco Australia Pty Ltd, July 2011.
- Bennett Environmental Consulting Pty Ltd (2013). Reassessment of Selected Areas: Kintyre Lease, January 2013.
- Biota (2005a) Ludlow Mineral Sands Project. Biota Environmental Sciences, Leederville, pp. 14.
- Biota (2005b) Barrow Island Gorgon gas development. Biota Environmental Sciences, North Perth, pp.34.
- Biota (2006) Mesa A and Robe Valley mesas troglobitic fauna survey. Project No. 291. Biota Environmental Sciences, Leederville, pp. 74.
- Biota (2010). Yandicoogina Subterranean Fauna Assessment Phases I – V. Project No. 541, Biota Environmental Sciences, Leederville, 138 pp.
- Brooker, M.G., and M.G. Ridpath. (1980). Diet of the Wedge-tailed Eagle, *Aquila Audax*, in Western Australia. In: Australian Wildlife Research. 7: 433–452.
- Browne-Cooper, R. and Bamford, M. (2010). Targeted Fauna Survey for the Kintyre Uranium Project. Report prepared for Cameco Australia Pty Ltd, October 2010, Updated 23 April 2013.
- Brown, J.E., Alfonso, B., Avila, R., Beresford, N.A., Copplestone, D., Pröhl, G., Ulanovsky A. (2008). The ERICA Tool. In: Journal of Environmental Radioactivity 99: 1371–1383.
- Burbidge, A.A. and McKenzie, N.L. (1989). Patterns in the modern decline of Western Australia's vertebrate fauna: causes and conservation implications. Biol. Cons. 50: 143-198.
- Bureau of Meteorology (2012). National Atlas of Groundwater Dependent Ecosystems (<http://www.bom.gov.au/water/groundwater/gde/index.shtml>)
- Cane, S. (1987). Australian Aboriginal Subsistence in the Western Desert. In: Human Ecology 15 (4): 391–434.
- Commonwealth of Australia (2005). Revision of the Interim Biogeographic Regionalisation for Australia (IBRA) and Development of Version 6.1.
- Communicable Disease Control Directorate (2011). [Disease notifications for Study Area].
- Copplestone, D., Hingston, J. and Real, A. (2008). The Development and Purpose of the FREDERICA Radiation Effects Database. In: Journal of Environmental Radioactivity 99 (1456-1463).
- Creely, K.S., Van Tongeren, M., While, D., Soutar, A.J., Tickner, J., Agostini, M., De Vocht, F., Kronhout, H., Graham, M., Bolton, A, Cowie, H. (2006). Trends in Inhalation Exposure – mid 1980s till present. HSE Research Report 460. HSE Books, Sudbury, UK.

- CSA Global Pty (2011). Kintyre Uranium Project Geochemical Characterisation of Ore and Waste Rock Samples Implications for Waste Rock Management East Pilbara Western Australia. Report prepared by Dorling, S., and Paulsen, E., for Cameco Australia Pty Ltd.
- CSIRO (2007). Climate Change in Australia: Technical Report 2007
- Dames & Moore (1988). Environmental Studies: Hydrogeology Annual Report. Prepared for Canning Resources Pty Limited.
- Dames & Moore (1989). Environmental studies: Hydrogeology Establishment Report. Prepared for Canning Resources Pty Limited.
- Dames & Moore (1990). Kintyre Project Meteorology – Annual Report 1989. Report prepared for Canning Resources Pty Ltd. December 1990.
- Dames & Moore (1993). Summary Report Kintyre Hydrogeological Monitoring Programme. Report prepared for Canning Resources Pty Ltd.
- Dames & Moore (1996). Summary Report 1988-1992 Kintyre Surface Water Monitoring Programme, Dames & Moore Report prepared for Canning Resources Pty Limited.
- Dames & Moore (1997). Kintyre Uranium Project Baseline Soils Survey for Canning Resources. May 1997.
- Dames & Moore (1998). Kintyre Uranium Project Environmental Monitoring Report. Report prepared for Canning Resources Pty Ltd. April 1998.
- DeGand, D. (2011). Closed Report on an Aboriginal Ethnographic Site Identification Survey of three monitoring bores on the Kintyre Uranium Project area in the Little sandy Desert, Western Australia, September 2011.
- Department of Agriculture and Food (DAF) (2010a). Declared Plants in Western Australia. [http://www.agric.wa.gov.au/objtwr/imported\\_assets/content/pw/weed/decp/dec\\_plants\\_list.pdf](http://www.agric.wa.gov.au/objtwr/imported_assets/content/pw/weed/decp/dec_plants_list.pdf)
- Department of Agriculture and Food (DAF) (2010b). Carbon Capture Project Final Report. An evaluation of the opportunity and risks of carbon offset based enterprise in the Kimberley Pilbara Region of Western Australia. Bulletin 4801.
- Department of Climate Change and Energy Efficiency (DCCEE) (2010).
- Department of Consumer and Employment Protection (DoCEP): Resources Safety (2008). Mines Safety Significant Incident Report No. 148: Tropical Cyclone George. 3 January 2008.
- Department of Environment (DoE) (2003). Interim Industry Guidelines to Community Involvement. Department of Environment, Perth, WA.
- Department of Environment and Conservation (DEC) (2009). Resource Condition Report for a Significant Western Australian Wetland: Desert Queens Baths. Department of Environment and Conservation. Perth, Australia.
- DEC, Traditional Owners Millstream Park Council & Conservation Commission Western Australia (2011). Millstream Chichester National Park and Mungaroo Range Nature Reserve Management Plan No. 69, 2011.
- Department of Environment and Heritage Australian Greenhouse Office (DEH AGO) 2006. AGO Factors and Methods Workbook. December 2006. For use in Australian greenhouse emissions reporting.
- DEWHA (2012). Environment Protection and Biodiversity Conservation Act 1999 Environmental Offsets Policy, October 2012.
- DEWHA (2009). Matters of National Environmental Significance: Significant impact guidelines 1.1: Environment Protection and Biodiversity Conservation Act 1999.
- Department of Health (DoH) (2011). Pilbara. Retrieved from: [http://www.health.wa.gov.au/services/detail.cfm?Unit\\_ID=52](http://www.health.wa.gov.au/services/detail.cfm?Unit_ID=52) Accessed on 15 December 2011
- Department of Health and Aged Care (DoHC) (2001). Measuring Remoteness: Accessibility/Remoteness Index of Australia (ARIA). 2001 Available from: [http://www.health.gov.au/internet/main/publishing.nsf/Content/7B1A5FA525DD0D39CA25748200048131/\\$File/ocpanew14.pdf](http://www.health.gov.au/internet/main/publishing.nsf/Content/7B1A5FA525DD0D39CA25748200048131/$File/ocpanew14.pdf)
- Department of Indigenous Affairs (DIA). (2011a). Aboriginal Community Profile. Gooda Binya.

- DIA (2011b). Aboriginal Community Profile. Irrungadji.
- DIA (2011c). Aboriginal Community Profile. Punmu.
- DIA (2011d). Aboriginal Community Profile. Jigalong.
- DIA (2011e). Aboriginal Community Profile. Cotton Creek.
- DIA (2011f). Community Profile. Kunawarrtji.
- DIA (2011g). Community Profile. Warralong.
- Department of Industry Tourism and Resources (DITR) (2007a). Guideline for Tailings Management, DITR February 2007.
- DITR (2007b). Managing Acid and Metalliferous Drainage, February 2007.
- Department of Minerals and Energy (DME) (1999). Safe Design and Operating Standards for Tailings Storage.
- Department of Mines and Petroleum (DMP) (2010a). Managing naturally occurring radioactive material (NORM) in mining and mineral processing - guideline. NORM – 1: Applying the System of Radiation Protection to Mining Operations: Resources Safety, Department of Mines and Petroleum, Western Australia, 34pp. <http://www.dmp.wa.gov.au>
- DMP (2010b). Management of fibrous minerals in Western Australian mining operations 2010, DMP (Resource Safety) (2010).
- DMP and Environmental Protection Authority (EPA) (2011). Guidelines for Preparing Mine Closure Plans. June 2011
- Department of Water (DoW) (2009). Wild Rivers in Western Australia. Water Notes WN 37, January 2009.
- DoW (2010). Determining water level ranges of Pilbara riparian species. Department of Water Environmental water report series: Report no. 17, September 2010.
- DoW (2012). Western Australian water in mining guideline. Draft for public comment. DoW Water licensing delivery series. Report no. 12, June 2012.
- Eberhard, S.M., Halse, S.A. and Humphreys, W.F. (2005) Stygofauna in the Pilbara region, northwest Western Australia: a review. *Journal of the Royal Society of Western Australia*, 88, 167-176.
- Eberhard, S.M., Halse, S.A., Williams, M.R., Scanlon, M.D., Cocking, J.S. and Barron, H.J. (2009) Exploring the relationship between sampling efficiency and short range endemism for groundwater fauna in the Pilbara region, Western Australia. *Freshwater Biology* 54, 885–901.
- Ecologia (2008) Koolanooka – Blue Hills Direct Shipping Ore (DSO) Mining Project, Troglifauna Biological Assessment. Ecologia Environment, West Perth, pp. 22.
- Ecologia (2009) Tropicana Gold Project, Stygofauna Survey Report. Ecologia Environment, West Perth, 33 pp.
- Energy Resources of Australia (2011). Annual Report 2011.
- ENVIRON Australia Pty Ltd (2013). Kintyre Air Quality Assessment. May 2013.
- Environmental Protection Agency (EPA) (1999). Environmental Protection (Kwinana) (Atmospheric Wastes) Policy Approval Order 1999, 21 December 1999.
- EPA (2000a). Environmental Protection of Native Vegetation in Western Australia: Clearing of native vegetation with particular reference to the agricultural area. Position Statement No. 2. December 2000.
- EPA (2000b). Guidance for the Assessment of Environmental Factors: Guidance Statement for Management of Mosquitoes by Land Developers. Government of Western Australia, Perth, WA. Report No. 40.
- EPA (2002a). Guidance for the assessment of environmental factors: Guidance statement for minimising greenhouse gas emissions. Guidance Statement No. 12, October 2002.
- EPA (2002b). Terrestrial biological surveys as an element of biodiversity protection. EPA Position Statement No. 3, March 2002.

- EPA (2003) Guidance for the assessment of environmental factors: Consideration of subterranean fauna in groundwater and caves during environmental impact assessment in Western Australia. Guidance Statement 54. Environmental Protection Authority, Perth, December 2003.
- EPA (2004a). Guidance for the assessment of environmental factors: Assessment of Aboriginal Heritage. Guidance Statement 41. Environmental Protection Authority, Perth, April 2004.
- EPA (2004b). Guidance for the assessment of environmental factors: Terrestrial flora and vegetation surveys for environmental impact assessment in Western Australia. Guidance Statement 51. Environmental Protection Authority, Perth, June 2004.
- EPA (2004c). Guidance for the assessment of environmental factors: Terrestrial fauna surveys for environmental impact assessment in Western Australia. Guidance Statement 56. Environmental Protection Authority, Perth, June 2004.
- EPA (2005). Guidance for the assessment of environmental factors Western Australia: Separation distances between industrial and sensitive land uses. Government of Western Australia, Perth, WA. Report No. 3.
- EPA (2006). Guidance for the assessment of environmental factors: Rehabilitation of terrestrial ecosystems. Guidance Statement 6. Environmental Protection Authority, Perth, June 2006.
- EPA (2007a) Guidance for the assessment of environmental factors: Environmental noise (Draft) No. 8 May 2007.
- EPA (2007b) Sampling methods and survey considerations for subterranean fauna in Western Australia (Technical Appendix to Guidance Statement No. 54). Guidance Statement 54A. Environmental Protection Authority, Perth, August 2007.
- EPA (2008). Environmental Guidance for Planning and Development: Guidance Statement 33. Government of Western Australia, Perth, WA.
- EPA (2009a). Review of the EIA Process in Western Australia, March 2009.
- EPA (2009b). State Environmental (Ambient Air) Policy 2009, Environmental Protection Authority, June 2009.
- EPA (2011). WA Environmental Offsets Policy, September 2011.
- EPA and DPaW (2010). Technical Guide: Terrestrial vertebrate fauna surveys for environmental impact assessment, September 2010.
- Finston, T.L., Johnson, M.S., Humphreys, W.F., Eberhard, S.M., and Halse, S.A. (2007) Cryptic speciation in two widespread subterranean amphipod genera reflects historical drainage patterns in an ancient landscape. *Molecular Ecology* 16, 355–365.
- Finston, T., Johnson, M.S., Eberhard, S.M., Cocking, J.S., McRae, J.M., Halse, S.A and Knott, B. (2011). New genus and species of groundwater paramelitid amphipods from the Pilbara, Western Australia: a combined molecular and morphological approach. *Records of the Western Australian Museum* 26, 154-178.
- Garnier-Laplace, J., Coplestone, D., Gilbin, R., Alonzo, F., Ciffroy, P., Gilek, M., Aguero, A. *et al.* (2008). Issues and Practices in the Use of Effects Data from FREDERICA in the ERICA Integrated Approach. In: *Journal of Environmental Radioactivity* 99: 1474–1483.
- Geo-Slope (2004)
- Geo-Slope International Ltd. (2007). *Vadose Zone Modeling with VADOSE/W 2007: An Engineering Methodology*. GEO-SLOPE International Ltd.: Calgary, Alberta, Canada.
- Golder Associates (2011).
- Government of Western Australia (2004). *Western Australian Greenhouse Strategy*. Prepared by the Western Australian Greenhouse Task Force. September 2004.
- Government of Western Australia (2007). *Making Decisions for the Future: Climate Change Statement*. The Premier's Climate Change Action Statement, May 2007.



- Graeme Campbell & Associates (1997). Kintyre Uranium Project: Geochemical Characterisation of Waste-Rock and Soil Samples. Implications for Waste-Rock Management. Report prepared for Dames & Moore, February 1997.
- Green, N. (2008). The Open Report of An Aboriginal Heritage Survey of the Proposed Yantikurji Creek Crossings at the Kintyre Project area, East Pilbara Region, Western Australia dated January 2009.
- Green, N. (2009). The Report of a Female Ethnographic Survey of the Proposed Yantikurji Creek Crossings at the Kintyre Project area, East Pilbara Region, Western Australia dated February 2009.
- Griffiths, A.D., Zahorowski, A., Element, A. and Werczybski, S. (2010). A Map of Radon Flux at the Australian Land Surface. In: Atmospheric Chemistry and Physics 10: 8969–8982.
- Hart Simpson and Associates Pty Ltd (1994a). Kintyre Project. Fauna studies 1986 to 1992. Unpublished report to Canning Resources.
- Hart, Simpson and Associates Pty Ltd (1994b). Kintyre Project – Vegetation and Flora Studies 1986-1992. Unpublished report to Canning Resources Pty Ltd.
- Hart, Simpson and Associates Pty Ltd (1997). Kintyre Project – Extension of Vegetation Mapping, April 1997. Dames & Moore.
- Harvey, M.S., Gray, M.R., Hunt, G.S. and Lee, D.C. (1993) The cavernicolous Arachnida and Myriopoda of Cape Range, Western Australia. Records of the Western Australian Museum Supplement 45, 129-144.
- Harvey, M.S. (2001) New cave-dwelling schizomids (Schizomida: Hubbardiidae) from Australia. Records of the Western Australian Museum Supplement 64, 171-185.
- Harvey, M.S., Berry, O., Edward, K.L., and Humphreys, G. (2008) Molecular and morphological systematics of hypogean schizomids (Schizomida: Hubbardiidae) in semiarid Australia. *Invertebrate Systematics* 22, 167–194.
- Health Canada. (2007). 2006 Report on Occupational Radiation Exposures in Canada. Ottawa. [http://www.hc-sc.gc.ca/ewh-semt/alt\\_formats/hecs-sesc/pdf/pubs/occup-travail/2006-report-rapport-eng.pdf](http://www.hc-sc.gc.ca/ewh-semt/alt_formats/hecs-sesc/pdf/pubs/occup-travail/2006-report-rapport-eng.pdf).
- Herring Storer Acoustics (HSA, 2011). Kintyre Uranium Project: Environmental Noise Assessment. December 2011.
- Hibberd, M. (2010). Atmospheric Temperature Profiles in Mt Keith and Mt Whaleback Pits. Centre for Australian Weather and Climate Research.
- Hingston, F.J. and Gailitis, V. (1976). The geographic variation of salt precipitated over Western Australia. *Australian Journal of Soil Research*, 14(3), 319-335p.
- Humphreys, W.F. (2001) Groundwater calcrete aquifers in the Australian arid zone: the context to an unfolding plethora of stygal biodiversity. *Records of the Western Australian Museum Supplement* 64, 63-83.
- Hydro Resources (1997). Exploration and Test Dewatering Bore Drilling and Hydraulic Testing of Bores 15PI, KWP1 and G – Kintyre Advancement Project. Report prepared for Canning Resources Pty Limited, project numbers 094.1 and 094.3, 154p.
- International Association for Public Participation Australasia (2004). IAP2 Public Participation Spectrum. International Association for Public Participation. United States of America.
- International Atomic Energy Agency (IAEA). (1992). Effects of Ionizing Radiation on Plants and Animals at Levels Implied by Current Radiation Protection Standards. Vienna.
- IAEA. (1996). International Basic Safety Standards for Protection Against Ionizing Radiation and for the Safety of Radiation Sources. Vienna.
- ICAO (2012).
- International Commission on Radiological Protection (ICRP) (1977). Recommendations of the ICRP. ICRP Publication 26. Ann. ICRP 1 (3).
- ICRP. (1996). Age Dependent Doses to Members of the Public from Intake of Radionuclides: Part 5 Compilation of Ingestion and Inhalation Dose Coefficients. ICRP Publication 72. In: *Annals of the ICRP* 26 (1).

- ICRP. (2003). A Framework for Assessing the Impact of Ionising Radiation on Non-Human Species. International Commission on Radiological Protection Publication 91: In: *Annals of the ICRP* 33 (3): 201–270.
- ICRP (2006). Publication 101 - Assessing Dose of the Representative Person for the Purpose of Radiation Protection of the Public.
- Intergovernmental Panel on Climate Change (IPCC) (2007). Fourth Assessment Report: Climate Change 2007 Synthesis Report ([http://www.ipcc.ch/publications\\_and\\_data/ar4/syr/en/mains1.html](http://www.ipcc.ch/publications_and_data/ar4/syr/en/mains1.html))
- Johansen, M. P., & Twining, J. R. (2010). Radionuclide concentration ratios in Australian terrestrial wildlife and livestock: data compilation and analysis. *Radiation and Environmental Biophysics*, 49(4), 603-611
- Juberthie, C., Bouillon, M. and Delay, B. (1981) Sur l'existence d'un milieu souterrain superficiel en zone calcaire. *Memoires Biospeologie* 8, 77-94.
- Keighery, B.J. (1994). Bushland Plant Survey: a Guide to Plant Community Surveys for the Community. Wildflower Society of Western Australia (Inc.) Nedlands, Western Australia.
- Kaste, J.M., Heimsath, A.M. and Bostick, B.C. (2007). Short-term soil mixing quantified with fallout radionuclide. *Geological Society of America*, March 2007.
- Kellogg Brown Root (2010). Radionuclides in Potable Water Bore, Kintyre Project. 5 March 2010.
- Kendrick, P. (2001). Little Sandy Desert (LSD1 – Rudall subregion in A Biodiversity Audit of Western Australia's 53 Biogeographical subregions. Department of Conservation and Land Management.
- Lamoreux, J. (2004) Stygobites are more wide-ranging than troglobites. *Journal of Cave and Karst Studies* 66, 18-19.
- Landman (2001), The ecology and physiology of acacias and eucalypts in the Pilbara region of Western Australia, University of Western Australia, Perth.
- Larsson, C. (2008). An Overview of the ERICA Integrated Approach to the Assessment and Management of Environmental Risks from Ionising Radiation. In: *Journal of Environmental Radioactivity* 99: 1364–1370.
- Latz P. (1995). Fire in the desert. Increasing biodiversity in the short term, decreasing it in the long-term. In: D. Bird Rose (ed.). *Country in Flames. Proceedings of the 1994 Symposium on Biodiversity and Fire in North Australia*. Biodiversity Unit, Department of the Environment, Sport and Territories and North Australia Research Unit, The Australian National University, Canberra and Darwin.
- Leach, V.A., Lokan, K.H. and Martin, L.J. (1980). A Study of Radiation Parameters at Nabarlek Uranium Mine N.T.
- Lenzen (2008).
- Lewis, S.J. (2011). Palaeochannel Groundwater Project: Milestone 7 operational report – water for Australia's arid zone. Identifying and assessing Australia's palaeovalley groundwater resources. Geoscience Australia.
- Lindsay, M. (2011). Mosquito biology and behaviour: case examples and implications for control. In: Department of Health (ed) *Mosquito Management Manual*. pp. 33 - 47. (Government of Western Australia: Perth).
- Long, S., Sdraulig, S., Hardege, L., and McLeish, J. (2008). The Radioactive Content of Some Australian Drinking Waters. ARPANSA.
- Loomes, R. & Braimbridge, M.J. (2010). Determining water level ranges of Pilbara riparian vegetation, Environmental water report series, Department of Water, Government of Western Australia, Perth.
- Maton, K. (2000). Making a Difference: The Social Ecology of Social Transformation. *American Journal of Community Psychology*, Vol. 28, No. 1, 2000.
- Mattner, J. (2011). Archaeological Survey of three water monitoring stations within site 'Yantikurji Creek', Kintyre Project, East Pilbara Region, September 2011.
- Maxwell, S., Burbidge, A.A. and Morris, K. (1996). Action Plan for Australian Marsupials and Monotremes. Environment Australia, Canberra.



- Middleton N. J. (1984). Dust-storms in Australia: frequency, distribution and seasonality. In: Search, 15 p 46 (viewed at <http://www.bom.gov.au/lam/climate/levelthree/c20thc/storm8.htm> 23 October 2011)
- Miller, E., Dunlop, J. and Morris, K. (2010). Rangelands restoration: fauna recovery at Lorna Glen, Western Australia. Progress report August 2006 to June 2010. Unpubl. report, WA Department of Environment and Conservation, Woodvale.
- Moore, B.P. (1995) Two remarkable new genera and species of troglotic Carabidae (Coleoptera) from Nullabor caves. *Journal of the Australian Entomological Society* 34, 159-161.
- MWH Australia (2010). Kintyre Groundwater Investigation Program 2009-2010. Final report prepared for Cameco Australia Pty Ltd, Unpublished.
- MWH Australia (2011a). Kintyre Borefield Development Investigations. Draft report prepared for Cameco Australia Pty Ltd, Unpublished.
- MWH (2011b). Kintyre Flood Study: Floodplain Modelling and Protection Options. Report prepared for Cameco. November 2011.
- National Energy Research and Demonstration Council (NERDC) (1988). Air Pollution from Surface Coal Mining: Volume 2 Emission Factors and Model Refinement, Project 921.
- National Environment Protection Council (NEPC) (1998). National Environment Protection Measure (NEPM) for Ambient Air Quality, 26 June 1998.
- NEPC (2002). Variation to the National Environment Protection (Ambient Air Quality) Measure, 26 June 1998.
- National Occupational Health and Safety Commission (NOHSC) (2005). Code of Practice for the Management and Control of Asbestos in Workplaces [NOHSC: 2018 (2005)]. Canberra, April 2005.
- National Pollutant Inventory (NPI). (2011). Emission Estimation Technique Manual for Mining Version 3.0, June 2011.
- Organisation for Economic Co-operation and Development (OECD) / International Energy Agency (IEA) (2012). World Energy Outlook 2012. November 2012.
- Office of Crime Prevention (2009). Shire of East Pilbara 2008–09. Community Safety and Crime Prevention Profile 2008-09. Available from: <http://www.crimeprevention.wa.gov.au/uploads/file/crime%20profiles%202008-09/East%20Pilbara%202008-09.pdf>
- O'Grady, A., Carter, J. and Holland, K. (2010). Review of Australian Groundwater Discharge Studies of Terrestrial Systems. CSIRO: Water for a Healthy Country National Research Flagship. 60 pp
- Pavey CR, Nano CEM, Cooper SJB, Cole JR and McDonald PJ (2011). Habitat use, population dynamics and species identification of mulgara, *Dasyurus blythi* and *D. cristicauda*, in a zone of sympatry in central Australia. *Australian Journal of Zoology* 59: 156–169.
- Pennington Scott (2012a). Assessment of connectivity between aquifer and river pools at Kintyre. Technical Memorandum to Cameco Australia Pty Ltd. 21 September 2012 (1122 CAM Rev 1).
- Pennington Scott (2012b). Kintyre Hydrogeological Investigations. Prepared for Cameco Australia Pty Limited, July 2012.
- Phoenix Environmental (2011). Level 1 fauna habitat assessment and targeted Mulgara survey for the FerrAus Pilbara Project. Report prepared for FerrAus, July 2011.
- Pilbara Development Commission (PDC) (2010). Regional Information. Available from: <http://www.pdc.wa.gov.au/regional-information.aspx>
- PDC (2011). Pilbara: A region in Profile 2011. Available from: <http://www.pdc.wa.gov.au/media/75465/pilbara%20a%20region%20in%20%20profile%202011.pdf>
- PDC (2012). Housing and Land Snapshot – Quarter ending March 2012. Available from: [http://www.pdc.wa.gov.au/media/84969/2012q1%20housing%20&%20land%20snapshot%20\(hals\).pdf](http://www.pdc.wa.gov.au/media/84969/2012q1%20housing%20&%20land%20snapshot%20(hals).pdf)

- Pinder, A.M., Halse, S.A., Shiel, R.J., and McRae, J.M. (2010) An arid zone awash with diversity: patterns in the distribution of aquatic invertebrates in the Pilbara region of Western Australia. *Records of the Western Australia Museum Supplement*, 78, 205-246.
- Puntukurnu Aboriginal Medical Services (2011). Jigalong. Retrieved from: <http://www.puntukurnu.com/locations/jigalong/> Accessed on 15 December 2011.
- Reeves, J.M., De Deckker, P., and Halse, S.A. (2007) Groundwater ostracods from the arid Pilbara region of northwestern Australia: distribution and water chemistry. *Hydrobiologia* 585, 99-118.
- Ridpath, M.G., and Brooker, M.G. (1987). Sites and Spacing of Nests as Determinants of Wedge-tailed Eagle Breeding in Arid Western Australia. In: *Emu* 87: 143–149.
- Scanlon, B.R., Keese, K.E., Flint, A.L., Flint, L.E., Gaye, C.B., Edmunds, W.M. & Simmers, I. (2006). Global synthesis of groundwater recharge in semi arid and arid regions. *Hydrogeological Processes*, 20, pp. 3335 – 2270.
- Shire of East Pilbara (2008). Welcome to the heart of the Shire. Available from: <http://www.eastpilbara.wa.gov.au/index.php>
- Sinclair Knight Merz (SKM) (2007). Port Hedland Cumulative Impact Study. Report prepared for the Department of Industry and Resources, December 2007.
- Sovacool (2008).
- Strategen (2006). Draft Bulgarene borefield De Grey River, vegetation sensitivity study, report to the Water Corporation, Government of Western Australia, Perth.
- Tetra Tech (2012a). Kintyre Fate and Transport Modelling Memo to Simon Williamson. 8 October 2012
- Tetra Tech (2012b). Geochemical Pit Lake Prediction Model Report – Non-backfill scenario. Attachment C to Pennington Scott (2012)
- Tetra Tech (2012c). Kintyre Greenhouse Gas Assessment. September 2012.
- Tetra Tech (2012d). Kintyre Mineralised Overburden Storage. See page Modelling Memo to Simon Williamson, 24 September 2012
- Tetra Tech (2012e). Pre-Feasibility Study Report: Kintyre Project Tailings Management Facility Design. Report prepared for Cameco. August 2012.
- Tetrattech (2012f). Geochemical characterisation of the Cameco Kintyre Uranium Project – Prefeasibility Study
- Thackway, R. and Cresswell I. D. (1995). An Interim Biogeographical Regionalisation for Australia: A Framework for Setting Priorities in the National Reserves System Cooperative Program. Australian Nature Conservation Agency, Canberra, ACT.
- Thompson, R.S. (1993). Residence Time of Contaminants Released in Surface Coal Mines - a Wind-tunnel Study. In: *American Meteorological Society*, 68–75.
- Thomson, J.E., and Wilson, O.J. (1980). Calculation of Gamma Ray Exposure Rates from Uranium Ore Bodies.
- Tonkinson, R. (2012). Indigenous Heritage in the Kintyre Area, February 2012.
- United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR). (1996). Report to the General Assembly, Scientific Annex: Effects of Radiation on the Environment. New York.
- UNSCEAR (2000). Report to the General Assembly, Annex B: Exposures from Natural Radiation Sources. New York.
- US Dept of Energy. (2002). A Graded Approach for Evaluating Radiation Doses to Aquatic and Terrestrial Biota. Washington.
- United States Environmental Protection Agency (USEPA) (1992). Guideline for Action Leakage Rates for Leak Detection Systems.
- USEPA (2004a). Compilation of air Pollutant Emission factors, AP-42, Fifth Edition, Volume 1: Stationary Point and Area Sources. Section 13.2.4. Aggregate Handling and Storage Piles. 1/95.

- USEPA (2004b). Compilation of air Pollutant Emission factors, AP-42, Fifth Edition, Volume 1: Stationary Point and Area Sources. Section 13.2.5. Industrial Wind Erosion. 1/95.
- USEPA (2006). Compilation of air Pollutant Emission factors, AP-42, Fifth Edition, Volume 1: Stationary Point and Area Sources. Section 13.2.2. Unpaved Roads. 11/06.
- US Nuclear Regulatory Commission (1989). Regulatory Guide 3.64: Calculation of Radon Flux Attenuation by Earthen Uranium Mill Tailings Covers.
- Veth, P (1999). Report of a Survey for Aboriginal Archaeological Sites, Kintyre Uranium Project, Great Sandy Desert, Western Australia.
- Vives i Batlle J, Jones SR, Copplestone D. 2008. Dosimetric approach for biota exposure to inhaled radon daughters. Environment Agency Science Report, SC060080. Bristol: Environment Agency. <http://publications.environment-agency.gov.uk/pdf/SCHO0908BOPA-e-e.pdf>
- Vives i Batlle J, Copplestone D, Jones SR. 2012. Allometric methodology for the assessment of radon exposures to wildlife. *Sci Tot Environ.*, 427-428, 50-59. <http://dx.doi.org/10.1016/j.scitotenv.2012.03.088>
- Water and Rivers Commission (WRC) (1999). The findings of the GIS preliminary identification and verification phases of the project. Report prepared by P.J. Williams, L.J. Pen and J.J. Alford, WRC, Perth.
- WRC (2000). Environmental Water Provisions Policy for Western Australia: Water and Rivers Commission Statewide Policy No. 5.
- WRI & WBCSD (2011).
- Watts, C.H.S., and Humphreys, W.F. (2006) Twenty-six new Dytiscidae (Coleoptera) of the genera *Limbodessus* Guignot and *Nirripiriti* Watts and Humphreys, from underground waters in Australia. *Transactions of the Royal Society of Australia* 130, 123-185.
- Western Australian Museum, Department of Aboriginal Sites (1980). Jigalong Community Land Reserve Proposal – A Survey of Sites of Traditional Significance to Aboriginal People of the Jigalong Community. Closed report at the Department of Indigenous Affairs.
- Woodward-Clyde (1997). Newman satellite development of Orebody 23 below the watertable: Consultative environmental review, unpublished report prepared for BHP Iron Ore, Perth.
- Woolley, P.A. (2005). The species of *Dasycercus* Peters 1875 (Marsupialia: Dasyuridae). *Memoirs of Museum Victoria* 62: 213-221.
- Woolley, P.A. 2006. Studies on the crested-tailed mulgara *Dasycercus cristicauda* and brush-tailed mulgara *Dasycercus blythi* (Marsupialia: Dasyuridae). *Australian mammalogy* 28: 117-120.
- Woolley, P. A. (2008). Brush-tailed Mulgara, *Dasycercus blythi*. In: S. Van Dyck and R. Strahan (eds), *The Mammals of Australia*. Third Edition, pp. 47-48. Reed New Holland, Sydney, Australia.
- World Nuclear Association (2008). .
- World Nuclear Association (2011). 2011 World Nuclear Association Market Report.
- Whitely, P.G. (1945) New sharks and fishes from Western Australia. Part 2. *Australian Zoologist*, 11, 1-45.